



## Author Index

- Acharya, P.K., H.D. Banerjee, K.L. Chopra, S.C. Saha and S. Ray, Effect of hydrogen dilution in silane on light induced degradation of hydrogenated amorphous silicon films for solar photovoltaic applications 32 (1994) 21
- Alfano, R.R., see Qiang, H. 32 (1994) 405
- Altindal, Ş., see Özdemir, S. 32 (1994) 115
- Ameziane, E.L., see Chahboun, N. 32 (1994) 213
- Andersson, K.E., M. Veszelei and A. Roos, Zirconium nitride based transparent heat mirror coatings—preparation and characterisation 32 (1994) 199
- Argazzi, R., see Bignozzi, C.A. 32 (1994) 229
- Argazzi, R., see Smestad, G. 32 (1994) 259
- Arntz, F.O., see Goldner, R.B. 32 (1994) 421
- Aspnes, D.E., Fourier critical point analysis: extension to Gaussian lineshapes 32 (1994) 413
- Banerjee, H.D., see Acharya, P.K. 32 (1994) 21
- Baños, L., see Sebastian, P.J. 32 (1994) 159
- Barrera, R.G. and C.I. Mendoza, Three-particle correlations in the optical properties of granular composites 32 (1994) 463
- Bekkay, T., see Chahboun, N. 32 (1994) 213
- Bergmann, R., see Zheng, G.F. 32 (1994) 129
- Bignozzi, C., see Smestad, G. 32 (1994) 259
- Bignozzi, C.A., R. Argazzi, M.T. Indelli and F. Scandola, Design of supramolecular systems for spectral sensitization of semiconductors 32 (1994) 229
- Böer, K.W. and J. Piprek, Donor–acceptor pairs to limit  $V_{oc}$ -improvement of photo-diodes 32 (1994) 395
- Campos, J., see Sebastian, P.J. 32 (1994) 159
- Chahboun, N., K. El Assali, A. Khiara, E.L. Ameziane and T. Bekkay, Growth of  $\text{CuAlTe}_2$  films by RF sputtering 32 (1994) 213
- Champness, C.H. and C.H. Chan, Influence of certain defects on the behaviour of photovoltaic cells 32 (1994) 53
- Chan, C.H., see Champness, C.H. 32 (1994) 53
- Chopra, K.L., see Acharya, P.K. 32 (1994) 21
- Claflin, B., see Fritzsche, H. 32 (1994) 383
- Cocivera, M., see Wynands, H. 32 (1994) 187
- Dai, X., see Zheng, G.F. 32 (1994) 129
- Derdour, M., G. Furlan and D. Nobili, Aggregation equilibria in arsenic doped silicon 32 (1994) 435
- Dinh, V.T., see Gruenbaum, P.E. 32 (1994) 61
- Dubey, A.R., see Mahapatra, P.K. 32 (1994) 29
- Dugas, J., 3D modelling of a reverse cell made with improved multicrystalline silicon wafers 32 (1994) 71

- El Assali, K., see Chahboun, N. 32 (1994) 213
- Fang, S.F., see Qiang, H. 32 (1994) 405
- Fitzmaurice, D., Using spectroscopy to probe the band energetics of transparent nanocrystalline semiconductor films 32 (1994) 289
- Fritzsche, H., B. Pashmakov and B. Claflin, Reversible changes of the optical and electrical properties of amorphous  $\text{InO}_x$  by photoreduction and oxidation 32 (1994) 383
- Furlan, G., see Derdour, M. 32 (1994) 435
- Glosser, R., see Stevens, P.D. 32 (1994) 429
- Goldner, R.B., F.O. Arntz and T.E. Haas, d-Electrons and two active thin film devices for achieving a solar energy economy 32 (1994) 421
- Gomez-Daza, O., see Sebastian, P.J. 32 (1994) 159
- Görig, B., see Kraft, A. 32 (1994) 151
- Granqvist, C.G., Electrochromic oxides: a bandstructure approach 32 (1994) 369
- Grätzel, M., see Hagfeldt, A. 32 (1994) 245
- Grätzel, M., see McEvoy, A.J. 32 (1994) 221
- Green, M.A., see Zhao, J. 32 (1994) 89
- Green, M.A., see Zheng, G.F. 32 (1994) 129
- Gruenbaum, P.E., V.T. Dinh and V.S. Sundaram, Gallium antimonide infrared solar cells with improved efficiency and manufacturability 32 (1994) 61
- Gupta, A., S. Shirakata and S. Isomura, Studies on CuIn precursor for the preparation of  $\text{CuInSe}_2$  thin films by the selenization technique 32 (1994) 137
- Haas, T.E., see Goldner, R.B. 32 (1994) 421
- Hagfeldt, A., S.-E. Lindquist and M. Grätzel, Charge carrier separation and charge transport in nanocrystalline junctions 32 (1994) 245
- Hamakawa, Y., see Ma, W. 32 (1994) 351
- Heckner, K.-H., see Kraft, A. 32 (1994) 151
- Hodes, G., Quantized nanocrystalline photoelectrodes: A review 32 (1994) 323
- Horiuchi, T., see Ma, W. 32 (1994) 351
- Indelli, M.T., see Bignozzi, C.A. 32 (1994) 229
- Isomura, S., see Gupta, A. 32 (1994) 137
- Khiara, A., see Chahboun, N. 32 (1994) 213
- Kraft, A., B. Görig and K.-H. Heckner, ITO coated n-GaAs electrodes for photoelectrochemical solar cells 32 (1994) 151
- Kurianski, J., see Zheng, G.F. 32 (1994) 129
- Lakshmikumar, S.T. and A.C. Rastogi, Selenization of Cu and In thin films for the preparation of selenide photo-absorber layers in solar cells using Se vapour source 32 (1994) 7
- Lampert, C.M., Towards large-area photovoltaic nanocells: experiences learned from smart window technology 32 (1994) 307
- Lim, C.C., see Ma, W. 32 (1994) 351
- Lindquist, S.-E., see Hagfeldt, A. 32 (1994) 245
- Look, E., see Qiang, H. 32 (1994) 405
- Lund, P.D., see Peippo, K. 32 (1994) 95
- Ma, W., T. Horiuchi, C.C. Lim, H. Okamoto and Y. Hamakawa, Optimum design and its experimental approach of a-Si//poly-Si tandem solar cell 32 (1994) 351
- Mahapatra, P.K. and A.R. Dubey, Photoelectrochemical behaviour of mixed polycrystalline n-type CdS-CdSe electrodes 32 (1994) 29

- McEvoy, A.J. and M. Grätzel, Sensitisation in photochemistry and photovoltaics 32 (1994) 221
- Meinel, A.B., Bernard Seraphin and novel solar energy materials: In the beginning 32 (1994) 327
- Mendoza, C.I., see Barrera, R.G. 32 (1994) 463
- Morkoç, H., see Qiang, H. 32 (1994) 405
- Nair, P.K., see Sebastian, P.J. 32 (1994) 159
- Negi, B.S., see Sootha, G.D. 32 (1994) 169
- Nobili, D., see Derdour, M. 32 (1994) 435
- Okamoto, H., see Ma, W. 32 (1994) 351
- Ovshinsky, S.R., The material basis of efficiency and stability in amorphous photovoltaics 32 (1994) 443
- Özdemir, S. and Ş. Altındal, Temperature dependent electrical characteristics of Al-SiO<sub>x</sub>-pSi solar cells 32 (1994) 115
- Pashmakov, B., see Fritzsche, H. 32 (1994) 383
- Peippo, K. and P.D. Lund, Optimal sizing of solar array and inverter in grid-connected photovoltaic systems 32 (1994) 95
- Phillips, J.C., Dielectric relaxation and hydrogen diffusion in amorphous silicon 32 (1994) 335
- Piprek, J., see Böer, K.W. 32 (1994) 395
- Pollak, F.H., see Qiang, H. 32 (1994) 405
- Qiang, H., E. Look, F.H. Pollak, K. Shum, Y. Takiguchi, R.R. Alfano, S.F. Fang and H. Morkoç, Photorefectance Study of GaAs and GaAs/GaAlAs Single Quantum Wells Grown on (001) Si Substrates 32 (1994) 405
- Raja, V.S., see Subbaramaiah, K. 32 (1994) 1
- Rastogi, A.C., see Lakshmikumar, S.T. 32 (1994) 7
- Ray, S., see Acharya, P.K. 32 (1994) 21
- Robinson, S., see Zheng, G.F. 32 (1994) 129
- Roos, A., see Andersson, K.E. 32 (1994) 199
- Saha, S.C., see Acharya, P.K. 32 (1994) 21
- Scandola, F., see Bignozzi, C.A. 32 (1994) 229
- Sebastian, P.J., O. Gomez-Daza, J. Campos, L. Baños and P.K. Nair, The structural, transport and optical properties of screen printed Cu<sub>x</sub>S thick films 32 (1994) 159
- Seraphin, S., Defects in oxygen implanted silicon 32 (1994) 343
- Shi, Z., see Zheng, G.F. 32 (1994) 129
- Shirakata, S., see Gupta, A. 32 (1994) 137
- Shum, K., see Qiang, H. 32 (1994) 405
- Sievers, A.J., Characterization of the optical properties of complex systems 32 (1994) 451
- Smestad, G., C. Bignozzi and R. Argazzi, Testing of dye sensitized TiO<sub>2</sub> solar cells I: Experimental photocurrent output and conversion efficiencies 32 (1994) 259
- Smestad, G., Testing of dye sensitized TiO<sub>2</sub> solar cells II: Theoretical voltage output and photoluminescence efficiencies 32 (1994) 273
- Smith, A.W., Analysis of textured solar cells at various angles of incidence: Fresnel concentration to 500 suns 32 (1994) 37
- Sootha, G.D. and B.S. Negi, A comparative study of optical designs and solar flux concentrating characteristics of a linear fresnel reflector solar concentrator with tubular absorber 32 (1994) 169
- Stevens, P.D. and R. Glosser, Anomalous time dependence and enhancement behavior of photoluminescence from porous Si 32 (1994) 429
- Subbaramaiah, K. and V.S. Raja, Preparation and characterization of all spray-deposited p-CuIn(S<sub>0.5</sub>Se<sub>0.5</sub>)<sub>2</sub>/n-CdZnS:In thin film solar cells 32 (1994) 1

- Sundaram, V.S., see Gruenbaum, P.E. 32 (1994) 61
- Takiguchi, Y., see Qiang, H. 32 (1994) 405
- Veszelei, M., see Andersson, K.E. 32 (1994) 199
- Wang, A., see Zhao, J. 32 (1994) 89
- Wang, A., see Zheng, G.F. 32 (1994) 129
- Wynands, H. and M. Cocivera, Thermally stimulated current studies of electrode-  
posited CdSe thin films 32 (1994) 187
- Zhao, J., A. Wang and M.A. Green, Series resistance caused by the localized rear  
contact in high efficiency silicon solar cells 32 (1994) 89
- Zheng, G.F., Z. Shi, R. Bergmann, X. Dai, S. Robinson, A. Wang, J. Kurianski  
and M.A. Green, Thin film silicon solar cells on glass by substrate thinning 32 (1994) 129



ELSEVIER

Solar Energy Materials and Solar Cells 32 (1994) 483-494

---

---

Solar Energy Materials  
and Solar Cells

---

---

## Subject Index

### *Amorphous silicon, hydrogenated amorphous Si, general material properties*

- Effect of hydrogen dilution in silane on light induced degradation of hydrogenated  
amorphous silicon films for solar photovoltaic applications, P.K. Acharya, H.D.  
Banerjee, K.L. Chopra, S.C. Saha and S. Ray 32 (1994) 21
- Dielectric relaxation and hydrogen diffusion in amorphous silicon, J.C. Phillips 32 (1994) 335

### *Amorphous silicon, hydrogenated amorphous Si, general solar cell properties and device physics*

- Effect of hydrogen dilution in silane on light induced degradation of hydrogenated  
amorphous silicon films for solar photovoltaic applications, P.K. Acharya, H.D.  
Banerjee, K.L. Chopra, S.C. Saha and S. Ray 32 (1994) 21
- Optimum design and its experimental approach of a-Si//poly-Si tandem solar  
cell, W. Ma, T. Horiuchi, C.C. Lim, H. Okamoto and Y. Hamakawa 32 (1994) 351
- The material basis of efficiency and stability in amorphous photovoltaics, S.R.  
Ovshinsky 32 (1994) 443

### *Amorphous silicon, hydrogenated amorphous Si, optical studies in stability*

- Effect of hydrogen dilution in silane on light induced degradation of hydrogenated  
amorphous silicon films for solar photovoltaic applications, P.K. Acharya, H.D.  
Banerjee, K.L. Chopra, S.C. Saha and S. Ray 32 (1994) 21
- Dielectric relaxation and hydrogen diffusion in amorphous silicon, J.C. Phillips 32 (1994) 335

### *Amorphous silicon carbide alloys*

- Optimum design and its experimental approach of a-Si//poly-Si tandem solar  
cell, W. Ma, T. Horiuchi, C.C. Lim, H. Okamoto and Y. Hamakawa 32 (1994) 351

### *Annealing*

- Defects in oxygen implanted silicon, S. Seraphin 32 (1994) 343

### *Cadmium oxide, CdO*

- Influence of certain defects on the behaviour of photovoltaic cells, C.H. Champ-  
ness and C.H. Chan 32 (1994) 53



*Cadmium selenide, CdSe*

- Photoelectrochemical behaviour of mixed polycrystalline n-type CdS-CdSe electrodes, P.K. Mahapatra and A.R. Dubey 32 (1994) 29
- Thermally stimulated current studies of electrodeposited CdSe thin films, H. Wynands and M. Cocivera 32 (1994) 187
- Quantized nanocrystalline photoelectrodes: A review, G. Hodes 32 (1994) 323

*Cadmium sulfide, CdS*

- Photoelectrochemical behaviour of mixed polycrystalline n-type CdS-CdSe electrodes, P.K. Mahapatra and A.R. Dubey 32 (1994) 29
- Quantized nanocrystalline photoelectrodes: A review, G. Hodes 32 (1994) 323

*Cadmium telluride, CdTe*

- Fourier critical point analysis: extension to Gaussian lineshapes, D.E. Aspnes 32 (1994) 413

*Carrier Lifetime*

- Thermally stimulated current studies of electrodeposited CdSe thin films, H. Wynands and M. Cocivera 32 (1994) 187

*Chalcogenide compounds*

- Photoelectrochemical behaviour of mixed polycrystalline n-type CdS-CdSe electrodes, P.K. Mahapatra and A.R. Dubey 32 (1994) 29
- Growth of CuAlTe<sub>2</sub> films by RF sputtering, N. Chahboun, K. El Assali, A. Khiara, E.L. Ameziane and T. Bekkay 32 (1994) 213

*Cobalt oxides and sulfides, CoO, Co<sub>3</sub>O<sub>4</sub>, CoS*

- d-Electrons and two active thin film devices for achieving a solar energy economy, R.B. Goldner, F.O. Arntz and T.E. Haas 32 (1994) 421

*Concentrated solar radiation*

- A comparative study of optical designs and solar flux concentrating characteristics of a linear fresnel reflector solar concentrator with tubular absorber, G.D. Sootha and B.S. Negi 32 (1994) 169
- Characterization of the optical properties of complex systems, A.J. Sievers 32 (1994) 451

*Conversion efficiency*

- Optimal sizing of solar array and inverter in grid-connected photovoltaic systems, K. Peippo and P.D. Lund 32 (1994) 95
- Bernard Seraphin and novel solar energy materials: In the beginning, A.B. Meinel 32 (1994) 327
- Donor-acceptor pairs to limit  $V_{oc}$ -improvement of photo-diodes, K.W. Böer and J. Piprek 32 (1994) 395

- The material basis of efficiency and stability in amorphous photovoltaics, S.R. Ovshinsky 32 (1994) 443  
 Characterization of the optical properties of complex systems, A.J. Sievers 32 (1994) 451

### *Concentrators*

- Analysis of textured solar cells at various angles of incidence: Fresnel concentration to 500 suns, A.W. Smith 32 (1994) 37  
 A comparative study of optical designs and solar flux concentrating characteristics of a linear fresnel reflector solar concentrator with tubular absorber, G.D. Sootha and B.S. Negi 32 (1994) 169

### *Copper compounds*

- Selenization of Cu and In thin films for the preparation of selenide photo-absorber layers in solar cells using Se vapour source, S.T. Lakshmikumar and A.C. Rastogi 32 (1994) 7  
 Growth of CuAlTe<sub>2</sub> films by RF sputtering, N. Chahboun, K. El Assali, A. Khiara, E.L. Ameziane and T. Bakkay 32 (1994) 213

### *Copper indium selenide, CuInSe<sub>2</sub>*

- Preparation and characterization of all spray-deposited p-CuIn(S<sub>0.5</sub>Se<sub>0.5</sub>)<sub>2</sub>/n-CdZnS:In thin film solar cells, K. Subbaramaiah and V.S. Raja 32 (1994) 1  
 Selenization of Cu and In thin films for the preparation of selenide photo-absorber layers in solar cells using Se vapour source, S.T. Lakshmikumar and A.C. Rastogi 32 (1994) 7  
 Studies on CuIn precursor for the preparation of CuInSe<sub>2</sub> thin films by the selenization technique, A. Gupta, S. Shirakata and S. Isomura 32 (1994) 137

### *Copper indium sulfide, CuInS<sub>2</sub>*

- Preparation and characterization of all spray-deposited p-CuIn(S<sub>0.5</sub>Se<sub>0.5</sub>)<sub>2</sub>/n-CdZnS:In thin film solar cells, K. Subbaramaiah and V.S. Raja 32 (1994) 1

### *Copper sulfide, Cu<sub>2</sub>S, Cu<sub>x</sub>S*

- The structural, transport and optical properties of screen printed Cu<sub>x</sub>S thick films, P.J. Sebastian, O. Gomez-Daza, J. Campos, L. Baños and P.K. Nair 32 (1994) 159

### *Crystal microstructure*

- Defects in oxygen implanted silicon, S. Seraphin 32 (1994) 343

### *Crystalline silicon, cells and related coatings*

- Series resistance caused by the localized rear contact in high efficiency silicon solar cells, J. Zhao, A. Wang and M.A. Green 32 (1994) 89

*Crystalline silicon, MIS cells*

- Temperature dependent electrical characteristics of Al–SiO<sub>x</sub>–pSi solar cells, S. Özdemir and Ş. Altındal 32 (1994) 115

*Efficiency*

- Optimal sizing of solar array and inverter in grid-connected photovoltaic systems, K. Peippo and P.D. Lund 32 (1994) 95

*Electrical conductivity of amorphous semiconductors*

- Reversible changes of the optical and electrical properties of amorphous InO<sub>x</sub> by photoreduction and oxidation, H. Fritzsche, B. Pashmakov and B. Claflin 32 (1994) 383

*Electrical conductivity of crystalline semiconductors*

- Aggregation equilibria in arsenic doped silicon, M. Derdour, G. Furlan and D. Nobili 32 (1994) 435

*Electrical properties*

- The structural, transport and optical properties of screen printed Cu<sub>x</sub>S thick films, P.J. Sebastian, O. Gomez-Daza, J. Campos, L. Baños and P.K. Nair 32 (1994) 159

*Electrochemical electrodes*

- d-Electrons and two active thin film devices for achieving a solar energy economy, R.B. Goldner, F.O. Arntz and T.E. Haas 32 (1994) 421

*Electrochemistry*

- Anomalous time dependence and enhancement behavior of photoluminescence from porous Si, P.D. Stevens and R. Glosser 32 (1994) 429

*Electrochromism*

- Electrochromic oxides: a bandstructure approach, C.G. Granqvist 32 (1994) 369  
d-Electrons and two active thin film devices for achieving a solar energy economy, R.B. Goldner, F.O. Arntz and T.E. Haas 32 (1994) 421

*Electrodeposition*

- Thermally stimulated current studies of electrodeposited CdSe thin films, H. Wynands and M. Cocivera 32 (1994) 187

*Electron-hole recombination*

- Donor–acceptor pairs to limit  $V_{oc}$ -improvement of photo-diodes, K.W. Böer and J. Piprek 32 (1994) 395



*Ellipsometry*

- Fourier critical point analysis: extension to Gaussian lineshapes, D.E. Aspnes 32 (1994) 413

*Emissivity*

- Characterization of the optical properties of complex systems, A.J. Sievers 32 (1994) 451

*Energy gap*

- Photoreflectance Study of GaAs and GaAs/ GaAlAs Single Quantum Wells Grown on (001) Si Substrates, H. Qiang, E. Look, F.H. Pollak, K. Shum, Y. Takiguchi, R.R. Alfano, S.F. Fang and H. Morkoç 32 (1994) 405

*Gallium arsenide*

- ITO coated n-GaAs electrodes for photoelectrochemical solar cells, A. Kraft, B. Görig and K.-H. Heckner 32 (1994) 151
- Donor–acceptor pairs to limit  $V_{oc}$ -improvement of photo-diodes, K.W. Böer and J. Piprek 32 (1994) 395
- Photoreflectance Study of GaAs and GaAs/ GaAlAs Single Quantum Wells Grown on (001) Si Substrates, H. Qiang, E. Look, F.H. Pollak, K. Shum, Y. Takiguchi, R.R. Alfano, S.F. Fang and H. Morkoç 32 (1994) 405

*Gallium arsenide and gallium aluminium arsenide, GaAs, Ga<sub>1-x</sub>Al<sub>x</sub>As*

- Photoreflectance Study of GaAs and GaAs/ GaAlAs Single Quantum Wells Grown on (001) Si Substrates, H. Qiang, E. Look, F.H. Pollak, K. Shum, Y. Takiguchi, R.R. Alfano, S.F. Fang and H. Morkoç 32 (1994) 405

*Gallium compounds*

- Gallium antimonide infrared solar cells with improved efficiency and manufacturability, P.E. Gruenbaum, V.T. Dinh and V.S. Sundaram 32 (1994) 61

*Ge–Si alloys*

- The material basis of efficiency and stability in amorphous photovoltaics, S.R. Ovshinsky 32 (1994) 443

*Glass substrates*

- Thin film silicon solar cells on glass by substrate thinning, G.F. Zheng, Z. Shi, R. Bergmann, X. Dai, S. Robinson, A. Wang, J. Kurianski and M.A. Green 32 (1994) 129

*Glazings, plastics and glass*

- Zirconium nitride based transparent heat mirror coatings—preparation and characterisation, K.E. Andersson, M. Veszeli and A. Roos 32 (1994) 199

*Grain boundaries and size*

- 3D modelling of a reverse cell made with improved multicrystalline silicon wafers, J. Dugas 32 (1994) 71

*Heat mirror coatings and transparent conductors*

- Zirconium nitride based transparent heat mirror coatings—preparation and characterisation, K.E. Andersson, M. Veszelei and A. Roos 32 (1994) 199

*I–V characteristics*

- Influence of certain defects on the behaviour of photovoltaic cells, C.H. Champness and C.H. Chan 32 (1994) 53  
 Temperature dependent electrical characteristics of Al–SiO<sub>x</sub>–pSi solar cells, S. Özdemir and Ş. Altındal 32 (1994) 115

*II–VI semiconductors*

- Thermally stimulated current studies of electrodeposited CdSe thin films, H. Wynands and M. Cocivera 32 (1994) 187

*III–V semiconductors*

- Gallium antimonide infrared solar cells with improved efficiency and manufacturability, P.E. Gruenbaum, V.T. Dinh and V.S. Sundaram 32 (1994) 61  
 ITO coated n-GaAs electrodes for photoelectrochemical solar cells, A. Kraft, B. Görig and K.-H. Heckner 32 (1994) 151  
 Photoreflectance Study of GaAs and GaAs/ GaAlAs Single Quantum Wells Grown on (001) Si Substrates, H. Qiang, E. Look, F.H. Pollak, K. Shum, Y. Takiguchi, R.R. Alfano, S.F. Fang and H. Morkoç 32 (1994) 405

*Indium selenide, InSe*

- Selenization of Cu and In thin films for the preparation of selenide photo-absorber layers in solar cells using Se vapour source, S.T. Lakshmikumar and A.C. Rastogi 32 (1994) 7

*Indium tin oxide, In<sub>2</sub>O<sub>3</sub>: Sn*

- ITO coated n-GaAs electrodes for photoelectrochemical solar cells, A. Kraft, B. Görig and K.-H. Heckner 32 (1994) 151  
 Reversible changes of the optical and electrical properties of amorphous InO<sub>x</sub> by photoreduction and oxidation, H. Fritzsche, B. Pashmakov and B. Claflin 32 (1994) 383

*Light trapping (concentration)*

- Analysis of textured solar cells at various angles of incidence: Fresnel concentration to 500 suns, A.W. Smith 32 (1994) 37

*Materials issues, general*

- Three-particle correlations in the optical properties of granular composites, R.G. Barrera and C.I. Mendoza 32 (1994) 463

*Open-circuit voltage*

- Donor–acceptor pairs to limit  $V_{oc}$ -improvement of photo-diodes, K.W. Böer and J. Piprek 32 (1994) 395

*Optical films*

- Electrochromic oxides: a bandstructure approach, C.G. Granqvist 32 (1994) 369

*Optical properties*

- The structural, transport and optical properties of screen printed  $\text{Cu}_x\text{S}$  thick films, P.J. Sebastian, O. Gomez-Daza, J. Campos, L. Baños and P.K. Nair 32 (1994) 159
- A comparative study of optical designs and solar flux concentrating characteristics of a linear fresnel reflector solar concentrator with tubular absorber, G.D. Sootha and B.S. Negi 32 (1994) 169
- Zirconium nitride based transparent heat mirror coatings—preparation and characterisation, K.E. Andersson, M. Veszelei and A. Roos 32 (1994) 199
- Bernard Seraphin and novel solar energy materials: In the beginning, A.B. Meinel 32 (1994) 327
- Reversible changes of the optical and electrical properties of amorphous  $\text{InO}_x$  by photoreduction and oxidation, H. Fritzsche, B. Pashmakov and B. Claflin 32 (1994) 383
- Fourier critical point analysis: extension to Gaussian lineshapes, D.E. Aspnes 32 (1994) 413
- Three-particle correlations in the optical properties of granular composites, R.G. Barrera and C.I. Mendoza 32 (1994) 463

*Optics*

- Dielectric relaxation and hydrogen diffusion in amorphous silicon, J.C. Phillips 32 (1994) 335

*p–n heterojunctions*

- Preparation and characterization of all spray-deposited  $\text{p-CuIn}(\text{S}_{0.5}\text{Se}_{0.5})_2/\text{n-CdZnS:In}$  thin film solar cells, K. Subbaramaiah and V.S. Raja 32 (1994) 1

*Photochemistry*

- Reversible changes of the optical and electrical properties of amorphous  $\text{InO}_x$  by photoreduction and oxidation, H. Fritzsche, B. Pashmakov and B. Claflin 32 (1994) 383

*Photoconductivity*

- Thermally stimulated current studies of electrodeposited CdSe thin films, H. Wynands and M. Cocivera 32 (1994) 187

*Photocurrent*

- Quantized nanocrystalline photoelectrodes: A review, G. Hodes 32 (1994) 323

*Photoelectrochemical cells*

- Photoelectrochemical behaviour of mixed polycrystalline n-type CdS-CdSe electrodes, P.K. Mahapatra and A.R. Dubey 32 (1994) 29  
ITO coated n-GaAs electrodes for photoelectrochemical solar cells, A. Kraft, B. Görig and K.-H. Heckner 32 (1994) 151  
Quantized nanocrystalline photoelectrodes: A review, G. Hodes 32 (1994) 323

*Photoelectrodes, metal chalcogenides*

- Photoelectrochemical behaviour of mixed polycrystalline n-type CdS-CdSe electrodes, P.K. Mahapatra and A.R. Dubey 32 (1994) 29

*Photoluminescence*

- Anomalous time dependence and enhancement behavior of photoluminescence from porous Si, P.D. Stevens and R. Glosser 32 (1994) 429

*Photovoltaic effects*

- Influence of certain defects on the behaviour of photovoltaic cells, C.H. Champness and C.H. Chan 32 (1994) 53  
Optimal sizing of solar array and inverter in grid-connected photovoltaic systems, K. Peippo and P.D. Lund 32 (1994) 95  
Temperature dependent electrical characteristics of Al-SiO<sub>x</sub>-pSi solar cells, S. Özdemir and Ş. Altındal 32 (1994) 115

*Photovoltaics, liquid junctions*

- ITO coated n-GaAs electrodes for photoelectrochemical solar cells, A. Kraft, B. Görig and K.-H. Heckner 32 (1994) 151

*Plasma CVD coatings*

- Effect of hydrogen dilution in silane on light induced degradation of hydrogenated amorphous silicon films for solar photovoltaic applications, P.K. Acharya, H.D. Banerjee, K.L. Chopra, S.C. Saha and S. Ray 32 (1994) 21

*Polycrystalline silicon*

- 3D modelling of a reverse cell made with improved multicrystalline silicon wafers, J. Dugas 32 (1994) 71  
Optimum design and its experimental approach of a-Si//poly-Si tandem solar cell, W. Ma, T. Horiuchi, C.C. Lim, H. Okamoto and Y. Hamakawa 32 (1994) 351

*Reflector materials, glass and mirror production*

- A comparative study of optical designs and solar flux concentrating characteristics of a linear fresnel reflector solar concentrator with tubular absorber, G.D. Sootha and B.S. Negi 32 (1994) 169

*Selective absorbers, composites and cermets*

- Characterization of the optical properties of complex systems, A.J. Sievers 32 (1994) 451

*Selective absorbers, theory and general systems*

- Characterization of the optical properties of complex systems, A.J. Sievers 32 (1994) 451

*Selective surfaces, theory and general materials*

- Bernard Seraphin and novel solar energy materials: In the beginning, A.B. Meinel 32 (1994) 327

*Selenium*

- Influence of certain defects on the behaviour of photovoltaic cells, C.H. Champness and C.H. Chan 32 (1994) 53

*Semiconductor device models*

- Influence of certain defects on the behaviour of photovoltaic cells, C.H. Champness and C.H. Chan 32 (1994) 53  
3D modelling of a reverse cell made with improved multicrystalline silicon wafers, J. Dugas 32 (1994) 71  
Series resistance caused by the localized rear contact in high efficiency silicon solar cells, J. Zhao, A. Wang and M.A. Green 32 (1994) 89

*Semiconductor doping*

- Aggregation equilibria in arsenic doped silicon, M. Derdour, G. Furlan and D. Nobili 32 (1994) 435

*Semiconductor thin films*

- Effect of hydrogen dilution in silane on light induced degradation of hydrogenated amorphous silicon films for solar photovoltaic applications, P.K. Acharya, H.D. Banerjee, K.L. Chopra, S.C. Saha and S. Ray 32 (1994) 21  
Studies on CuIn precursor for the preparation of CuInSe<sub>2</sub> thin films by the selenization technique, A. Gupta, S. Shirakata and S. Isomura 32 (1994) 137  
Defects in oxygen implanted silicon, S. Seraphin 32 (1994) 343  
Reversible changes of the optical and electrical properties of amorphous InO<sub>x</sub> by photoreduction and oxidation, H. Fritzsche, B. Pashmakov and B. Clafin 32 (1994) 383



*Silicon*

- Thin film silicon solar cells on glass by substrate thinning, G.F. Zheng, Z. Shi, R. Bergmann, X. Dai, S. Robinson, A. Wang, J. Kurianski and M.A. Green 32 (1994) 129
- Defects in oxygen implanted silicon, S. Seraphin 32 (1994) 343
- Anomalous time dependence and enhancement behavior of photoluminescence from porous Si, P.D. Stevens and R. Glosser 32 (1994) 429

*Silicon compounds*

- Aggregation equilibria in arsenic doped silicon, M. Derdour, G. Furlan and D. Nobili 32 (1994) 435

*Solar cell arrays*

- Analysis of textured solar cells at various angles of incidence: Fresnel concentration to 500 suns, A.W. Smith 32 (1994) 37

*Solar cells*

- Gallium antimonide infrared solar cells with improved efficiency and manufacturability, P.E. Gruenbaum, V.T. Dinh and V.S. Sundaram 32 (1994) 61
- 3D modelling of a reverse cell made with improved multicrystalline silicon wafers, J. Dugas 32 (1994) 71
- Series resistance caused by the localized rear contact in high efficiency silicon solar cells, J. Zhao, A. Wang and M.A. Green 32 (1994) 89
- Temperature dependent electrical characteristics of Al-SiO<sub>x</sub>-pSi solar cells, S. Özdemir and Ş. Altındal 32 (1994) 115
- Thin film silicon solar cells on glass by substrate thinning, G.F. Zheng, Z. Shi, R. Bergmann, X. Dai, S. Robinson, A. Wang, J. Kurianski and M.A. Green 32 (1994) 129
- Growth of CuAlTe<sub>2</sub> films by RF sputtering, N. Chahboun, K. El Assali, A. Khiara, E.L. Ameziane and T. Bakkay 32 (1994) 213
- Optimum design and its experimental approach of a-Si//poly-Si tandem solar cell, W. Ma, T. Horiuchi, C.C. Lim, H. Okamoto and Y. Hamakawa 32 (1994) 351
- Donor-acceptor pairs to limit  $V_{oc}$ -improvement of photo-diodes, K.W. Böer and J. Piprek 32 (1994) 395

*Solar concentrators*

- Analysis of textured solar cells at various angles of incidence: Fresnel concentration to 500 suns, A.W. Smith 32 (1994) 37
- A comparative study of optical designs and solar flux concentrating characteristics of a linear fresnel reflector solar concentrator with tubular absorber, G.D. Sootha and B.S. Negi 32 (1994) 169

*Space applications*

- Gallium antimonide infrared solar cells with improved efficiency and manufacturability, P.E. Gruenbaum, V.T. Dinh and V.S. Sundaram 32 (1994) 61

*Spectral response*

- Three-particle correlations in the optical properties of granular composites, R.G. Barrera and C.I. Mendoza 32 (1994) 463

*Spray coatings*

- Preparation and characterization of all spray-deposited p-CuIn(S<sub>0.5</sub>Se<sub>0.5</sub>)<sub>2</sub>/n-CdZnS:In thin film solar cells, K. Subbaramaiah and V.S. Raja 32 (1994) 1

*Sputtered coatings*

- Zirconium nitride based transparent heat mirror coatings—preparation and characterisation, K.E. Andersson, M. Veszeli and A. Roos 32 (1994) 199

*Structural properties*

- The structural, transport and optical properties of screen printed Cu<sub>x</sub>S thick films, P.J. Sebastian, O. Gomez-Daza, J. Campos, L. Baños and P.K. Nair 32 (1994) 159  
Dielectric relaxation and hydrogen diffusion in amorphous silicon, J.C. Phillips 32 (1994) 335

*Ternary semiconductors*

- Studies on CuIn precursor for the preparation of CuInSe<sub>2</sub> thin films by the selenization technique, A. Gupta, S. Shirakata and S. Isomura 32 (1994) 137  
Growth of CuAlTe<sub>2</sub> films by RF sputtering, N. Chahboun, K. El Assali, A. Khiara, E.L. Ameziane and T. Bekkay 32 (1994) 213

*Textured surfaces*

- Analysis of textured solar cells at various angles of incidence: Fresnel concentration to 500 suns, A.W. Smith 32 (1994) 37

*Thin film solar cells*

- Preparation and characterization of all spray-deposited p-CuIn(S<sub>0.5</sub>Se<sub>0.5</sub>)<sub>2</sub>/n-CdZnS:In thin film solar cells, K. Subbaramaiah and V.S. Raja 32 (1994) 1  
Selenization of Cu and In thin films for the preparation of selenide photo-absorber layers in solar cells using Se vapour source, S.T. Lakshmikumar and A.C. Rastogi 32 (1994) 7  
Thin film silicon solar cells on glass by substrate thinning, G.F. Zheng, Z. Shi, R. Bergmann, X. Dai, S. Robinson, A. Wang, J. Kurianski and M.A. Green 32 (1994) 129  
Optimum design and its experimental approach of a-Si//poly-Si tandem solar cell, W. Ma, T. Horiuchi, C.C. Lim, H. Okamoto and Y. Hamakawa 32 (1994) 351  
The material basis of efficiency and stability in amorphous photovoltaics, S.R. Ovshinsky 32 (1994) 443

*Thin films*

- Thin film silicon solar cells on glass by substrate thinning, G.F. Zheng, Z. Shi, R. Bergmann, X. Dai, S. Robinson, A. Wang, J. Kurianski and M.A. Green 32 (1994) 129

- d-Electrons and two active thin film devices for achieving a solar energy economy,  
R.B. Goldner, F.O. Arntz and T.E. Haas 32 (1994) 421
- Anomalous time dependence and enhancement behavior of photoluminescence  
from porous Si, P.D. Stevens and R. Glosser 32 (1994) 429

### *Transition metals*

- d-Electrons and two active thin film devices for achieving a solar energy economy,  
R.B. Goldner, F.O. Arntz and T.E. Haas 32 (1994) 421

### *Vacuum deposition*

- Studies on CuIn precursor for the preparation of CuInSe<sub>2</sub> thin films by the  
selenization technique, A. Gupta, S. Shirakata and S. Isomura 32 (1994) 137

### *X-ray diffraction*

- The structural, transport and optical properties of screen printed Cu<sub>x</sub>S thick films,  
P.J. Sebastian, O. Gomez-Daza, J. Campos, L. Baños and P.K. Nair 32 (1994) 159

### *Zirconium diboride, ZrBr<sub>2</sub> and zirconium nitride, ZrN*

- Zirconium nitride based transparent heat mirror coatings—preparation and char-  
acterisation, K.E. Andersson, M. Veszeli and A. Roos 32 (1994) 199